

ENVIRONMENTS FOR ELECTRONICS

by knürr

www.knuerr.com



Passive Network Rack

PNR 42

- Value engineered
- Good quality
- Flat packed – fast assembly



knürr
environments for electronics



PNR00001

PNR 42 Passive BASIC

Supply schedule:

- 1 Basic frame
- 2 pcs 19" verticals, 125mm front space
- 1 depth member left and right
- 2 sidepanels
- 1 rearpanel
- 1 frontdoor glass, 1 point lock swinghandle
- 1 topcover with cable entry, passiv airflow possible by added distance bolts
- 4 pcs levelling feet
- earthing set complete

Loading rating: 3000 N static load

degree of protection: IP20

Colour:

Visible surface of the cover panels powdercoated textured RAL 7035
 Frame parts powdercoated textured RAL 5008

How supplied:

Assembled

HU	W	D	H	Order no.	UP
42	600	800	2000	11205001	1
47	600	800	2200	11205011	1
42	800	800	2000	11205021	1
47	800	800	2200	11205041	1
42	800	900	2000	11205041	1
47	800	900	2200	11205051	1



PNR00002

PNR 42 Passive COMPLETE

Supply schedule:

- 1 Basic frame
- 4 pcs 19" verticals, 125mm front space
- 1 depth member left and right
- 2 sidepanels
- 1 reardoor sheetmetal, 3point lock swinghandle
- 1 frontdoor glass, 3point lock swinghandle
- 1 topcover with cable entry, passiv airflow possible by added distance bolts
- 4 pcs levelling feet
- earthing set complete

Loading rating: 3000 N static load

degree of protection: IP20

Colour:

Visible surface of the cover panels powdercoated textured RAL 7035
 Frame parts powdercoated textured RAL 5008

How supplied:

Assembled

HU	W	D	H	Order no.	UP
42	600	800	2000	11205101	1
47	600	800	2200	11205111	1
42	800	800	2000	11205121	1
47	800	800	2200	11205141	1
42	800	900	2000	11205141	1
47	800	900	2200	11205151	1



PNR00003

PNR 42 SERVER

Supply schedule:

- 1 Basic frame
- 4 pcs 19" verticals, 80mm front space, installation depth 740mm
- 1 depth member left and right
- 2 sidepanels
- 1 frontdoor sheetmetal with perforation, 3 point lock swinghandle
- 1 reardoor sheetmetal with perforation, 3 point lock swinghandle
- 1 topcover with cable entry, passiv airflow possible by added distance bolts
- 4 pcs levelling feet
- earthing set complete

Loading rating: 3000 N static load

degree of protection: IP20


Colour:

Visible surface of the cover panels powdercoated textured RAL 7035
 Frame parts powdercoated textured RAL 5008

How supplied:

Assembled

HU	W	D	H	Order no.	UP
42	600	900	2000	11205201	1
47	600	900	2200	11205211	1
42	600	1000	2000	11205221	1
47	600	1000	2200	11205231	1



PNR00004

Plinth stationary


Supply schedule:

- 4 corner pieces
- 2 trims closed
- 2 trims with vent slots
- 4 levelling feet
- mounting material

Colour:

Powdercoated textured RAL 7035

HU	W	D	H	Order no.	UP
	600	800	100	11202111	1
	800	800	100	11202131	1
	800	900	100	11202161	1
	600	900	100	11202141	1
	600	1000	100	11202151	1



PNR00005

Bottom panel with cable entry


Supply schedule:

- 3 panels
- 1 brush strip
- mountig material

Colour/surface:

sheetsteel, zink passivated

HU	W	D	H	Order no.	UP
	600	800		11202810	1
	800	800		11202850	1
	800	900		11202860	1
	600	900		11202820	1
	600	1000		11202830	1



PNR00006

19" verticals sheetsteel with 19" holegrid

Supply schedule:

- 2 pcs 19" profiles
- mounting material for rack W 600
- attention:** for rack W 800 additional mounting kit necessary

Colour/surface:

sheetsteel 1.5mm, zink passivated

HU	W	D	H	Order no.	UP
42				11202390	1
47				11202410	1



PNR00007

Mounting kit for 19" verticals for rack W 800

Supply schedule:

- 4 brackets
- mounting material

	Order no.	UP
for rack W 800	11202459	1



PNR00008

Door sheetmetal, closed

Supply schedule:
1 door with mounting material

Colour:
Powdercoated textured RAL 7035

HU	W	D	H	Order no.	UP
42	600			11201891	1
47	600			11202061	1
42	800			11202041	1
47	800			11202071	1



PNR00009

Upgrade kit 3point locking

Supply schedule:
1 locking mechanism
2 locking bars

mounting material

HU	W	D	H	Order no.	UP
42				11214370	1
47				11214380	1



PNR00010

Locking set door

Supply schedule:
- 1 DIN locking cylinder
- 2 keys

HU	W	D	H	Order no.	UP
				50412999	1



PNR00011

Locking set sidepanel/rearpanel

Supply schedule:
- 2 quicklock fasteners
- 4 keys
- mounting material

	Order no.	UP
sidepanel	11202609	1
rearpanel	11202619	1



PNR00012

Rack connectors

Supply schedule:
- 4 pcs rack connector
- mounting material

HU	W	D	H	Order no.	UP
				11202509	1



PNR00013

Depth member

Supply schedule:
1 depth member with mounting material

Colour/surface:
sheetsteel zink passivated

HU	W	D	H	Order no.	UP
		600		11202659	1
		800		11202669	1
		900		11202679	1
		1000		11202689	1



MIR20088

Castors M12


Supply schedule:
4 castors with mounting material

HU	W	D	H	Order no.	UP
				50310579	1

Strong points



PNR00014



PNR00015



PNR00016



PNR00017



PNR00018

■ 19" verticals are adjustable in the depth in order adapt jumpering room and installation depth to customer requirements.

■ Simple mode of assembly and dis-assembly guarantee flexibility on site. This also allows flat pack delivery in order to save transport volume and stock volume at the customer.

■ Significant design by using visible frame profiles in an extra colour.

World-wide
... and close
to the
customer



Australia
Tel. +61 (0) 2 96 66 - 48 66
Fax +61 (0) 2 96 66 - 48 68



Austria
Tel. +43 (0) 1 - 9 70 22 - 0
Fax +43 (0) 1 - 9 70 22 - 29



Belgium
Tel. +32 (0) 3 - 450 7777
Fax +31 (0) 76 - 542 1015



Brazil
Tel. +55 (0) 15 - 3263 - 2444
Fax +55 (0) 15 - 3263 - 1024



China
Tel. +86 (0) 10 62 38 58 28
Fax +86 (0) 10 62 38 58 29



Czech Republic
Tel. +420 (0) 596 152 392
Fax +420 (0) 596 152 112



Denmark
Tel. +45 () 44 85 04 85
Fax +45 () 44 94 99 89



Finland
Tel. +358 (0) 19 - 8711 1
Fax +358 (0) 19 - 8711 500



France
Tel. +33 (0) 1 43 77 85 85
Fax +33 (0) 1 43 39 02 10



Greece
Tel. +30 2310 - 69 11 90
Fax +30 2310 - 69 11 80



Hong Kong
Tel. +852 28 51 22 11
Fax +852 28 51 20 60



Hungary
Tel. +36 (0) 1 4 21 - 30 08
Fax +36 (0) 1 4 21 - 30 00



India
Tel. +91 (0) 20 - 7 12 01 21-4
Fax +91 (0) 20 - 7 12 03 16



Israel
Tel. +972 (0) 9 - 892 44 44
Fax +972 (0) 9 - 892 44 55



Italy
Tel. +390 (0) 2 95 34 30 80
Fax +390 (0) 2 95 34 31 04



Japan
Tel. +81 (0) 4 26 - 56 - 58 11
Fax +81 (0) 4 26 - 56 - 58 08



Netherlands
Tel. +31 (0) 76 - 54 22 92 2
Fax +31 (0) 76 - 54 21 01 5



Norway
Tel. +47 () 64 83 84 40
Fax +47 () 64 83 84 50



Poland
Tel. +48 (22) 6 76 94 62
Fax +48 (22) 6 76 98 10



Portugal
Tel. +351 (21) 3 22 41 63
Fax +351 (21) 3 22 41 69



Russia
Tel. +7 (095) - 755 68 19
Fax +7 (095) - 720 49 00



Singapore
Tel. +65 () 67 73 - 1583
Fax +65 () 67 73 - 1582



Slovakia
Tel. +421 (0) 2 - 64 28 78 81
Fax +421 (0) 2 - 64 28 78 91



Spain
Tel. +34 91 - 8 89 89 61
Fax +34 91 - 8 89 84 92



Sweden
Tel. +46 (0) 8 - 58 74 27 70
Fax +46 (0) 8 - 58 74 28 88



Sweden LBW
Tel. +46 (0) 8 - 58 41 08 80
Fax +46 (0) 8 - 58 02 67 69



Switzerland
Tel. +41 (0) 1 8 06 54 54
Fax +41 (0) 1 8 06 54 64



Taiwan
Tel. +886 (0) 2 - 2276 - 10 19
Fax +886 (0) 2 - 2279 - 88 83



United Arab Emirates
Tel. +971 (0) 4 - 335 29 95
Fax +971 (0) 4 - 334 99 51



United Kingdom
Tel. +44 (0) 1480 49 61 25
Fax +44 (0) 1480 49 63 73



USA
Tel. +1 (805) 5 26 - 77 33
Fax +1(805) 5 84 - 83 71

Your regional **knürr**-partner



knürr
environments for electronics

Knürr AG
Global Headquarters

Mariakirchener Straße 38
94424 Arnstorf • Germany
Tel. +49 (0) 87 23 / 27 - 0
Fax +49 (0) 87 23 / 27 - 154
www.knuerr.com

www.knuerr.com

... just a click away!